

 **suprabeam**[®]
| DENMARK

Q7 *xrs*

DC CONVERTER TECHNOLOGY
FOR 50% LONGER RUNTIME

2 X 5000 mAh LI-ION BATTERIES

HIGH EFFICIENT POWER LED CHIP

ELECTRONIC DIMMING + MEMORY

HIGH STRENGTH ALUMINIUM



2000 LUMENS



2 x Li-Ion
5000 mAh



345 m



307 g



15° - 75°

Q7 *xrs*

suprabeam®
| DENMARK

PACKAGING



2000 LUMENS

SPECIFICATIONS

2 x Li-Ion
5000 mAh

345 m

307 g

15° - 75°

WHAT'S IN THE BOX

TORCH



POUCH



STRAP



ADAPTER



CHARGER



USB-CABLE



BATTERIES



MANUAL




UNIQUE SELLING POINTS (USP)



USB FAST CHARGING BASE

Connected by standard Micro USB and with our 5V/2A-230VAC power adapter it charges the Li-Ion cell at maximum rate. With or without USB power it shows the battery status on a 5-LED light stripe at any time.




SLIDING HYPERFOCUS™

The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. All just by one-hand sliding of the head.



DIMMING + MEMORY

The new electronic task switch combined with our new dimming control, offers simple and stepless power adjustment from 1000 down to 6 lumens. It memorizes the last used light output and with one single click it activates maximum power again.




FOCUS LOCK

When the torch is slid to Focus, simply turn the head a couple of degrees to the left to enable the lock-function. This will engage a brake-function which will prevent unwanted sliding from focus to flood beam.



2 X 5000 mAh LI-ION BATTERIES


With two 5000 mAh batteries included as a standard, you can charge one battery externally while using the other in the torch. This gives you the freedom to use the torch without interruption.



DC CONVERTER TECHNOLOGY

The Q7xrs is fitted with our new and highly efficient electronic circuitry. It reduces the heat development of the Power LED and decreases the energy consumption. The advantage is 50% longer runtimes and highest constant light output.

LIGHT CURVE AND RUNTIMES



MAX

2000 LUMENS
200

2 h x2

DIMMING

1000 LUMENS
6

2¹⁵ min - 500 h x2

DIM-500LM

500 LUMENS
50

5 h | 50 min x2

SPECIFICATIONS

LED / Focus configuration:	1 CREE Power Chip / Sliding Hyperfocus™
Case Material / Surface Treatment:	Anodized, High Strength Aluminium
Case Color:	Anthracite Dark Grey
Switch at rear:	Electronic Switch With Solid Silicone Cover
Dimensions:	L: 158mm, ø: 46mm
Weight incl. battery:	307g
Ingress Protection Rating:	Splash Waterproof IPx4
Temperature (Operation):	-20°C to +50°C

ELECTRONICS

Built in Controller:	Yes, DIM and STEP mode
Standard Power Source:	Li-ion 26650 (5000 mAh) 2 pcs. included
Beam / Distance:	Variable from Spot to Floodlight / 345 Meters
Luminous Flux:	Max: 2000 lm Dimmable: 1000 lm -6 lm
Lighting Time:	Max: 2h / High dim: 2h 15min / Low dim: 500h
Accessories included:	Pro. Quality Pouch with Velcro and Press Stud, Strap, 100-240VAC Adaptor with USB cable and external ICR 26650 Charger
Charging temperature:	0°C - +45°C

PACKAGING

Customs Tariff Number:	8513 1000
Packaging:	PE Portable Box with Space for Second Battery
Single Box Content / Size / Weight:	1 pcs, 28 x 23 x 8 cm / 1.1 kg
Master Box Content / Size / Weight:	6 pcs, 41 x 41 x 28 cm / 6.65 kg
Order's Address:	info@suprabeam.com
Part. No.:	507.6205
EAN-CODE:	5704049907522



PE PORTABLE BOX WITH SPACE FOR SECOND BATTERY

FEATURES



INTELLIGENT LIGHT CONTROL (ILC)

Our intelligent light control lets you switch between different light outputs



COOLING CORE

The high strength aluminium cooperates with the "heatsink" to cool off the LED




ELECTRONIC DIMMING

Our electronic dimming lets you dim the light to the desired level with ease




WATER RESISTENT - IPX4

This IP-rating indicates that your product is water resistant



FOCUS LOCK

Improved Focus Lock-function to prevent unwanted sliding




SLIDING FOCUS

Focus from wide floodlight to narrow spot light with the one handed sliding focus



RECHARGEABLE

Rechargeable products will prevent you from using and throwing away alkaline batteries



EXTERNAL FAST CHARGING + SPARE BATTERY

Charge one battery externally while using the other in the torch



USB CHARGER

All of our rechargeable products are compatible with USB. This enables you to charge everywhere

RECOMMENDED ACCESSORIES



LI-ION 26650 5000 mAh

The high capacity Li-ion 26650 rechargeable battery is compatible with the Q7xrs.



12/24V -1A USB CHARGER

With the 12/24V, 1 Amp USB charger you can recharge your rechargeable Suprabeam products while you are on the go.



BIKE MOUNT

Our Bike Mount with fully rotating universal clamp-antivibration grip. Fits almost every bike bar.