

▶ You might also like...

▶ **Q7<sub>xr</sub>**



▶ **V3<sub>pro</sub>**  
Rechargeable



Product Overview

Thank you for purchasing our Suprabeam Q4xr.

Rechargeable power in a small and handy design. Compact and extremely powerful. Equipped with our Hyperfocus™ system and combined with the latest LED Power Chip technology.

We do our best to make the products meet our high standards.


Should you unexpectedly encounter problems with the product, please contact your local Suprabeam dealer.

Register your product at [www.suprabeam.com](http://www.suprabeam.com) and get the latest information and news by e-mail

Mistakes and printing errors excepted

This product is tested with Li-Ion 18650 batteries. We highly recommend using Premium type batteries only to ensure high quality light output and long lighting time. We can not guarantee the light data if using battery types of lower quality

*To protect the environment, this product is compatible with rechargeable batteries*



Do not look directly into the beam!  
Niemals direkt ins Licht schauen!  
Ne pas regarder fixement le faisceau de face!

Steiner A/S  
P.O. Pedersens Vej 14A · DK-8200 Aarhus N  
Phone: +45 87 52 52 12  
Fax: +45 87 52 52 15

Contact: [info@suprabeam.com](mailto:info@suprabeam.com) · [www.suprabeam.com](http://www.suprabeam.com)

Warranty and Warnings

 **suprabeam®**



▶ **Q4<sub>xr</sub>**



## Changing Battery



## Operating

1x=	BOOST:	680 LM
2x=	High:	350 LM
3x=	Medium:	200 LM
4x=	Low:	50 LM
5x=	Strobe:	10 Hz






Manual

## Sliding Hyperfocus™


Spot light:



Flood light:




## FOR MORE INFO:



[www.suprabeam.com](http://www.suprabeam.com)

## Q4<sup>xt</sup>



Hours:	< 14 h
Battery:	Li-ion 18650 (8.14 Wh)
Beam angle:	Variable_Spot 5°_Flood 60°
Beam Distance:	250 m
Case Material	Anodized Aluminium
Weight:	132 g (incl. batteries)
Temp.	-20°C to + 50°C
IP Rating	x4
LED Type:	1 CREE LED Chip

Electronic Control:

BOOST:	680 Lumens
High:	350 Lumens
Medium:	200 Lumens
Low:	50 Lumens
Strobe:	10 Hz

Technical Data